

Biotech Park

Sector 'G', Jankipuram, Kursi Road
Lucknow-226021

Phone: 0522-2365050

Fax: 0522-4012081

कूरियर सेवा

सभी पत्राचार मुख्य अधिषासी अधिकारी के नाम से हों, किसी अन्य अधिकारी के नाम से नहीं।

कोटेशन हेतु निवेदन

सेवा में,

.....

दिनांक

: 23-02-2018

.....

जांच संख्या

: BP/4(1)/18/NASI-SSPJFC/2017-18

.....

पहुंचने की तारीख

: 05-03-2018

.....

खुलने की तारीख

: 05-03-2018 (03:30 PM)

प्रिय महोदय,

हम नीचे उल्लिखित सामानों की खरीद के लिए इच्छुक हैं। कृपया सील बन्द लिफाफे में इस कार्यालय को दिनांक 05-03-2018 तक अथवा उसके पूर्व प्रेषित करें। हर चीज की कीमत उसकी मात्रा के अनुसार प्रदर्शित करें।

क्रसं.	सामान का विवरण	मात्रा	मूल्य (प्रति ईकाई)	कुल धनराशि	
				रु0	पै0
1.	HP OfficeJet Pro 6970 All-in-One Printer (As per attached Specification)	01			

आवश्यक : अगर आप निर्माता हैं या निर्माता के अधिकृत वितरक/व्यापारी हैं तो साक्ष्य स्वरूप प्रमाण अवश्य भेजें।


नोट : आपका प्रस्ताव कोटेशन खुलने की तिथि से कम से कम छः माह तक के लिए वैध होगा।

1. एफ.ओ.आर. पैसेन्जर/मालगाड़ी लारी सेवा या बायोटेक पार्क, स्टोर को निशुल्क होगा।
2. स्थानीय सप्लायर्स को अपने मूल्य की दरें बायोटेक पार्क स्टोर को निशुल्क वितरण सहित उद्घृत करना चाहिये।
3. आपकी दरों में पैकिंग और अग्रशण शुल्क भी भी शामिल होना चाहिये।
4. जहां भी सम्भव हो कोटेशन के साथ में और मूल्यतः मदों के सम्बन्ध में नमूने आवश्यक रूप से प्रस्तुत किये जाने चाहिये अन्यथा प्रस्ताव पर विचार नहीं किया जायेगा।
5. सभी छपे हुए निर्देशों का सावधानी पूर्वक पालन अवश्य किया जाये।
6. गारंटी/वारंटी के विषय में अवश्य लिखें।
7. Packing, Forwarding, Insurance, Transportation and Taxes etc. should be clearly mentioned.

नोट : प्रत्येक कोटेशन मोहरबन्द होना चाहिये तथा लिफाफे पर हमारे कोटेशन नम्बर, दिनांक एवं खुलने की तारीख अवश्य होनी चाहिये अन्यथा कोटेशन स्वीकार नहीं किया जायेगा।

कृते मुख्य अधिषासी अधिकारी

- 1- हम देशी उत्पादन या विदेश निर्मित उपलब्ध तैयार माल की सामग्री के प्रस्तावों पर विचार करने को तैयार हैं। पूर्तिकार के निजी आयात कोटा लाइसेन्स के अन्तर्गत अग्रवर्ती वितरण के आधार पर किसी भी पूर्ति के प्रस्ताव पर ही विचार किया जायेगा। ऐसे मामलों में कृप्या आई.सी.डी. संख्या तक अपने विदेशी प्रमुख का नाम और पता भी सूचित करें।
- 2- यदि प्रेषण किए जाने वाले स्टेशन के लिए मूल्य उद्घृत किये गये हों तो स्टेशन के नाम का उल्लेख अवश्य किया जाना चाहिये।
- 3- अपने कोटेशन में सामग्री के सामने कृप्या मद की क्रम संख्या भी निर्दिष्ट करें जैसा की हमारी जांच (इन्क्वायरी) में दिखाया गया है।
- 4- सामान हेतु कोटेशन का प्रस्ताव करते समय निर्माण के नाम एवं पते के साथ सम्पूर्ण विनिर्देश दिये जाने चाहिये। कोटेशन पर विचार करते समय अनिश्चितता वर्णित करने वाले "भारतीय निर्माण या विदेशी निर्माण" को अस्वीकार किया जाना चाहिये। जहां भी उपयुक्त हो पाठ्य सामग्री/पुस्तकाएं भी संलग्न की जानी चाहिये।
- 5- एफ.ओ.आर. कोटेशन के मामलों में बीमा की भी व्यवस्था की जानी चाहिये। सामान आपके द्वारा आपके पक्ष में सभी प्रकार के जोखिम हेतु गोदाम से गोदाम तक के आधार पर बीमाकृत होना चाहिये।
- 6- बिक्री कर (उ०प्र० व्यापार कर अथवा केन्द्रीय बिक्री कर) की दर जहां भी आदेय हों, स्पष्ट रूप से निर्दिष्ट की जानी चाहिये। यह कार्यालय प्रपत्र "सी" जारी करने के लिये पात्र नहीं हैं। तथापि केन्द्रीय बिक्रीकर की रियायती दर जो शोध संस्थानों द्वारा निश्चित राज्यों जैसे महाराष्ट्र, दिल्ली, पश्चिम बंगाल इत्यादि राज्यों से वैज्ञानिक उपकरण, उपकरण आदि खरीदने पर स्वीकार होती है, इस कार्यालय पर भी लागू होगी।
- 7- इस बात का विशेष उल्लेख किया जाना चाहिये कि सामान की सुपुर्दगी पुराने स्टॉक से होगी या सामान का आयात करना होगा या कर्मशाला से प्राप्त करना होगा तथा आदेश प्राप्ति के पश्चात सामान की सुपुर्दगी में जो समय लगेगा उसका उल्लेख होना चाहिये। यदि आपके प्रस्ताव के विरुद्ध कोई आदेश दिया जाता है तो सामान सौंपे जाने के समय का कठोरता पूर्वक पालन करना होगा।
- 8- हम पूर्ति तथा निपटान महानिदेशालय की प्रत्यक्ष मांगकर्ता अधिकारियों की सूची में शामिल हैं। यदि पृष्ठ के दूसरी ओर उल्लिखित मदों में से कोई भी प्रस्तावित दर/चालू संविदा सूचियों में है तो कृप्या पूर्ति तथा निपटान, महानिदेशालय की दर तथा संविदा सन्दर्भ उद्घृत करें तथा आर.सी. की भी एक प्रति भेजें।
- 9- डाक द्वारा भेजे गये कोटेशन मुहरबन्द होना चाहिये तथा उसके उपर उल्लिखित विषयानुसार अंकित होना चाहिये। व्यक्तिगत रूप से सौंपे गये कोटेशन वित्त एवं लेखा अधिकारी के कार्यालय में रखी हुई निविदा पेटी में डाला जाना चाहिये।
- 10- पूर्ति हेतु भुगतान सीधे पूर्तिकर्ता को इंडियन ओवरसीज बैंक, कुर्सी रोड शाखा, लखनऊ-226021 के रेखांकित चेक द्वारा अथवा NEFT हेतु बैंक का विवरण निविदाकर्ता द्वारा स्पष्ट रूप से दिया जाना चाहिये। यह ध्यान दिया जाय कि सामान के अच्छी दशा में प्राप्त होने तथा स्थापना पर ही भुगतान किया जायेगा।
- 11- कोटेशन की स्वीकृति बायोटेक पार्क, लखनऊ के सक्षम प्राधिकारी पर निर्भर होगी जो कि न्यूनतम दर सूची को स्वीकार करने हेतु बाध्य न होंगे तथा जिसके पास किसी एक या सभी प्राप्त कोटेशन को बिना कारण बताये अस्वीकार करने या आंशिक रूप से स्वीकार करने का अधिकार सुरक्षित है।
- 12- यदि उपरोक्त शर्तों का पालन नहीं किया जाता है तो कोटेशन अस्वीकृत किये जा सकते हैं।
- 13- निविदाकर्ताओं की शर्तों (पीछे छपी हुई) यदि कोई हों, या निविदा के साथ भेजी गई अन्य शर्तों से हम बाध्य नहीं होंगे।
- 14- निविदा के अन्तर्गत माल के कय करने में मदो को घटाने अथवा बढ़ाने तथा किन्ही कारणों से निविदा को निरस्त करने का सम्पूर्ण अधिकार बायोटेक पार्क के पक्ष में होगा।



Technical specifications

AIO functions	Wireless, Print, Fax, Scan and Copy
Print	
Speed ¹	Black: Up to 30 ppm (draft, A4); Up to 20 ppm (ISO, laser-comparable); Duplex (A4): Up to 9 ppm Colour: Up to 25 ppm (draft, A4); Up to 11 ppm (ISO, laser-comparable); Duplex (A4): Up to 6 ppm
First page out (A4, ready) ²	Black: As fast as 12 sec; Colour: As fast as 15 sec
Resolution	Black (best): Up to 600 x 1200 dpi; Colour (best): Up to 4800 x 1200 optimised dpi (when printing from a computer on selected HP photo papers and 1200 input dpi)
Languages	HP PCL 3 GUI, HP PCL 3 Enhanced
Wireless capability	Yes, built-in WiFi 802.11b/g/n
HP ePrint capability	Yes
HP Auto wireless connect	Yes
Mobile printing capability ³	HP ePrint, Apple AirPrint™, Wireless direct printing, Mopria™-certified
Scan	
Type	Flatbed, ADF
Technology	Contact Image Sensor (CIS)
Speed	Up to 8 ppm (200 ppi, b&w), up to 3.5 ppm (200 ppi, colour); Duplex speed: Up to 4 ppm (200 ppi, b&w), up to 1.5 ppm (200 ppi, colour)
Resolution	Hardware: Up to 1200 x 1200 dpi; Optical: Up to 1200 dpi; Enhanced: Up to 1200 dpi
Max scanning size	ADF: 216 x 356 mm (One-sided); Flatbed: 212 x 297 mm
Input modes	Front-panel scan, copy, fax, HP Software, EWS
Grayscale levels	256
Bit depth	24-bit
File format	Scan File Type supported by Software: Bitmap (bmp), JPEG (jpg), PDF (pdf), PNG (png), Rich Text (rtf), Searchable PDF (pdf), Text (txt), TIFF (tif)
Digital sending standard features	Scan to thumb drive/PC
Copy	
Speed	Black: Up to 30 cpm (draft, A4); Up to 13 cpm (ISO, laser-comparable); Colour: Up to 24 cpm (draft, A4); Up to 7 cpm (ISO, laser-comparable)
Resolution	Black (text and graphics): Up to 600 x 600 dpi; Colour (text and graphics): Up to 600 x 600 dpi
Max copies	Up to 99 copies
Copier reduce/enlarge	25 to 400%
Fax	
Resolution	Black (standard): 203 x 98 dpi; Colour (standard): 200 x 200 dpi
Transmission speed	4 sec per page
Memory	Up to 100 pages
Fax features	Faxing: Yes, colour; Faxing option: Two-sided; Auto-Redialling: Yes; Fax delayed sending: Yes (black only); Distinctive ring detection supported: Yes; Fax forwarding supported: Yes; Fax polling supported: No; Auto fax reduction supported: Yes; Fax telephone mode supported: Yes; Junk barrier supported: Yes, requires Caller ID; PC interface supported: Yes; PC fax send and archive, Telephone handset supported: No; Fax broadcasting, max locations: 20 locations
Display	6.75 cm (2.65") CGD touchscreen
Media	
Display/print options	Automatic (transparent)
Duty cycle (monthly, A4) ⁴	Up to 20,000 pages
Recommended monthly volume	200 to 800 pages
Auto document feeder capacity	Standard, 35 sheets
Supported sizes	A4, A5, A6, B5(JIS), 6 x 8 in, Executive, Index card 3.5 x 5 in, Index card 4 x 6 in, Index card 5 x 8 in, Index card A4, Index card Letter, 3 x 5 in, 4 x 6 in, 5 x 7 in, 13 x 18 cm, 8 x 10 in, 10 x 15 cm, L, Photo 2L, 8.5 x 13 in, Legal, Letter, Statement, Envelope #10, Envelope C5, Envelope C6, Envelope DL, Envelope Monarch, Card Envelope 4.4 x 6 in
Recommended weights	60 to 105 g/m ² (plain); 220 to 280 g/m ² (photo); 75 to 90 g/m ² (envelope); 163 to 200 g/m ² (card)
Types	Plain Paper, HP Photo Papers, HP Matte Brochure or Professional Paper, HP Matte Presentation Paper, HP Glossy Brochure or Professional Paper, Other Photo Inkjet Papers, Other Matte Inkjet Papers, Other Glossy Inkjet Papers, Inkjet Hagaki, Plain Paper, Thick, Plain Paper, Light/Recycled
Paper handling	225-sheet input tray, 60-sheet output tray
Memory	1 GB
Operating system compatibility	Microsoft® Windows® 10, 8.1, 8, 7; 32-bit or 64-bit, 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Microsoft® Internet Explorer, Windows Vista®, (32-bit only), 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Microsoft® Internet Explorer 8, Windows® XP SP3 or higher (32-bit only); any Intel® Pentium® II, Celeron® or 233 MHz compatible processor, 850 MB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Microsoft® Internet Explorer 8 OS X v10.9 Mavericks, OS X v10.10 Yosemite, OS X v10.11 El Capitan 1GB Available Space, Internet Access; (For more information, see http://hplipopen.sourceforge.com/hplip-web/index.html)
Minimum system requirements	PC: Microsoft® Windows® 10, 8.1, 8, 7; 32-bit or 64-bit, 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Microsoft® Internet Explorer, Windows Vista®, (32-bit only), 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Microsoft® Internet Explorer 8, Windows® XP SP3 or higher (32-bit only); any Intel® Pentium® II, Celeron® or 233 MHz compatible processor, 850 MB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Microsoft® Internet Explorer 8, OS X v10.9 Mavericks, OS X v10.10 Yosemite, OS X v10.11 El Capitan; 1GB Available Space, Internet Access; Linux (For more information, see http://hplipopen.sourceforge.com/hplip-web/index.html); Mac: OS X v10.9 Mavericks, OS X v10.10 Yosemite, OS X v10.11 El Capitan, 1GB Available Space, Internet Access
Connectivity	
Connectivity	1 USB 2.0, 1 Host USB; 1 Ethernet; 1 Wireless 802.11b/g/n; 1 RJ-11 fax
Network capabilities	Standard (built-in Ethernet, WiFi 802.11b/g/n)
Supported network protocols	Supported Network Protocols configurations (IPv4, IPv6); ARP; BOOTP; SMTP client; LLNMR; Bonjour; LP/APP (Auto IP); NetBIOS/WINS; LPR/LPD; Custom Raw Port/Port9100; DNS Resolver; mDNS; SNMPv1/v3; Web Services Discovery; Web Services Print; DHCP options: 81/RFC4702/RFC4704, 12-Hostname; 44; System; Firewall; SSL/TLS (HTTPS); Password-protected network Embedded Web server; Enable/disable network ports & device features; 802.1x wireless authentication (EAP-TLS, LEAP, and PEAP) & 802.1 Wired
Dimension (W x D x H)⁵	463.7 x 390 x 228.67 mm
Weight⁶	8.1 kg
Environmental	
Operating environment	Recommended operating temperature range: 15 to 32° C; Recommended operating humidity range: 20 to 80% RH (non-condensing); Storage temperature range: -40 to 60° C
Acoustics	Acoustic power emissions: Normal mode mono 6.4 B(A) colour 6.2 B(A); Acoustic pressure emissions: 6.1 dB(A) (Draft printing at 17 ppm)
Power specifications	Power supply type: Internal; Power supply required: Input voltage: 100 to 240 VAC (+/- 10%), 50/60 Hz (+/- 3 Hz); Power consumption: ⁷ 27 watts maximum, 5.5 watts (Active), 0.29 watts (Manual-Off), 1.21 watts (Sleep)
What's in the box	HP OfficeJet Pro 6970 All-in-One Printer; Setup cartridges ⁸ ; Power cord; Phone cord; Setup poster; USB cable; Ethernet cable (Not available for China, India, Japan markets)
Warranty	One-year limited hardware warranty; 24-hour, 7 days a week support

To learn more, visit hp.com

© Copyright 2016 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

ENERGY STAR and the ENERGY STAR logo are registered U.S. marks. Microsoft and Windows are registered trademarks of Microsoft Corporation. AirPrint, iPad, iPhone, and iPod touch are trademarks of Apple Inc., registered in the U.S. and other countries. Linux is a U.S. registered trademark of Linus Torvalds.

Ordering information

Number	Description
J7K34A	HP OfficeJet Pro 6970 All-in-One Printer
Replacement cartridges	
Number	Description
T6M01AA	HP 905 Black Original Ink Cartridge (~300 pages)
T6L89AA	HP 905 Cyan Original Ink Cartridge (~315 pages)
T6L93AA	HP 905 Magenta Original Ink Cartridge (~315 pages)
T6L97AA	HP 905 Yellow Original Ink Cartridge (~315 pages)
T6M17AA	HP 905XL High Yield Black Original Ink Cartridge (~825 pages)
T6M05AA	HP 905XL High Yield Cyan Original Ink Cartridge (~825 pages)
T6M09AA	HP 905XL High Yield Magenta Original Ink Cartridge (~825 pages)
T6M13AA	HP 905XL High Yield Yellow Original Ink Cartridge (~825 pages)
T6M21AA	HP 909XL High Yield Black Original Ink Cartridge (~1,500 pages)

For information on reference page output, please log on the hp.com/go/pageyield

Recommended Papers⁹

Number	Description
C6818A	HP Professional Inkjet Paper, Glossy, A4, 50 sheets, 180 gsm
Q6593A	HP Professional Inkjet Paper, Matte, A4, 200 sheets, 120 gsm
Q6594A	HP Professional Inkjet Paper, Matte, A3, 100 sheets, 120 gsm

Please visit hp.com/apac/paper for more details.

Hewlett-Packard offices

Australia	(613) 8833 5000	hp.com/au
China	(010) 6564 3888	hp.com/cn
Hong Kong	(852) 3559 7777	hp.com/hk
India	(80) 2612 9000	hp.com/in
Indonesia	(62-21) 5799 1088	hp.com/id
Korea	(02) 2199 0114	hp.com/kr
Malaysia	(603) 2332 3333	hp.com/my
New Zealand	(09) 918 9555	hp.com/nz
Philippines	(632) 888 5900	hp.com/ph
Singapore	(65) 6275 3888	hp.com.sg
Taiwan	(02) 8722 9000	hp.com/tw
Thailand	(662) 353 9500	hp.com/th
Vietnam	(848) 3823 4151	hp.com/vn

For the following countries, please fax your queries to: (65) 6275 6707
Bangladesh • Bhutan • Brunei • Cambodia • Maldives • Nepal • Pakistan • Sri Lanka

For more information, please visit us at hp.com/apac/homeandoffice

HP Order-a-Cartridge

Call HP's Order-a-Cartridge[®] service and have them conveniently delivered to your doorstep.

China	800 820 0851/400 820 0851
India	1800 3003 3003
Korea	080 703 0700

HP SureSupply¹⁰

Discover how HP SureSupply redefines convenience in purchasing printer cartridge supplies online.

To order online, please visit hp.com/apac/oac for more details.¹¹



¹ ISO speeds measured using ISO/IEC 24734. Excludes first page or first set of 150 test pages. For details see hp.com/go/printerclaims
² Either after first page or after first set of 150 test pages. For details see hp.com/go/printerclaims
³ Wireless performance is dependent upon physical environment and distance from the access point. Wireless operations are compatible with 2.4 GHz routers only; excludes wireless direct. Wireless direct may require driver or apps be installed and connected on wireless-enabled mobile device or PC. Wireless functionality may vary by computer and mobile operating systems. See hplipopen.sourceforge.com. HP ePrint requires: account registration, HP ePrint-enabled printer, Internet connection, and a wireless-enabled mobile device or Internet-connected computer with email capability. Separately purchased data plans or usage fees may apply. Print times and connection speeds may vary. AirPrint supports OS X®, Lion, OS X® Mountain Lion and the following devices (running iOS 4.2 or later): iPad®, iPhone®, iPod touch® (3rd generation or later) and requires the printer be connected to the same network as your OS X or iOS device. AirPrint, the AirPrint Logo, iPad, iPhone, and iPod touch are trademarks of Apple® Inc. Windows is a trademark of the Microsoft® group of companies. BlackBerry® names and logos are the property of Research In Motion Limited. Android is a trademark of Google Inc.
⁴ HP recommends that the number of printed pages per month be within the stated range for optimum device performance, based on factors including supplies replacement.
⁵ Dimensions and Weight vary as per configuration.
⁶ Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty.
⁷ In order to initialize the printer, some ink from the included setup cartridges will be used. Setup cartridges may have different page yield than replacement cartridges. For more information, visit hp.com/go/learnaboutsupplies
⁸ Available in selected countries only.

